# Special Breed Specific Instructions (BSI)

Regarding exaggerations in pedigree dogs

Set by CS 2008-11-12 Applicable from 2009-01-01



Introduction and application3	
Application	4
Requirements for all dogs5	
F.C.I Group I	Sheepdogs and Cattle Dogs6
F.C.I Group 2	Pinscher and Schnauzer - Molossoid Breeds - Swiss Mountain- and Cattle Dogs 8
F.C.I Group 3	Terriers12
F.C.I Group 4	Dachshunds14
F.C.I Group 5	Spitz and Primitive types15
F.C.I Group 6	Scenthounds and Related Breeds17
F.C.I Group 7	Pointing Dogs20
F.C.I Group 8	Retrievers - Flushing Dogs - Water Dogs22
F.C.I Group 9	Companion and Toy Dogs25
F.C.I Group 10	Sighthounds30

# **Introduction and Application**

The task of a dog show judge is to preserve the characteristics of each breed within the approved breed standard. This must never be done at the expense of soundness or through exaggerations in conformation. It is the responsibility of the judge to be acquainted with the breed standard as well as health issues which exaggerations can cause.

A judge's main task is to judge and evaluate dogs outlined in the breed standards and to see the dogs as a result of previous generations of breeding. A judge must pay particular attention to tendencies to exaggerations which can have a negative effect on the health of individual dogs. It is important that tendencies to exaggerations are noted before they are allowed to give rise to unsoundness.

These instructions are a result of an inventory made possible through extensive collaboration between dog show judges, breed clubs, other dog clubs and veterinary surgeons.

The views and facts contained in this document are a result of available statistics on dogs' health for individual breeds. The process was initiated by a meeting between ten Scandinavian all-breed judges followed by correspondence with the breed clubs culminating in a judges' conference for all Swedish dog show judges.

The survey has resulted in the current document in which 47 out of approximately 300 recognised F.C.I breeds have been mentioned specifically with a view to improve their health.

# Breeds which require URGENT attention (7):

Bulldog, Neapolitan Mastiff, Shar-Pei, Chow-Chow, Basset Hound, French Bulldog, Pekingese.

# Breeds which require INCREASED ATTENTION (12):

Dogue de Bordeaux, Mastiff, St Bernard Dog, Bull Terrier/ Miniature Bull Terrier, Yorkshire Terrier, Bloodhound, Clumber Spaniel, Boston Terrier, Chihuahua (Long-haired and Smoothhaired), Japanese Chin, King Charles Spaniel, Pug Dog.

# Breeds which require **ATTENTION** (28):

Collie (Rough-haired and Smooth-haired), German Shepherd Dog, Shetland Sheepdog, Welsh Corgi Cardigan, Welsh Corgi Pembroke, German Boxer, Bullmastiff, Great Dane, Norwich Terrier, Skye Terrier, Staffordshire Bull Terrier, West Highland White Terrier, German Spitz/Pomeranian, Artesian-Norman Basset, Italian Pointing Dog, ItalianWire-haired Pointing Dog, American Cocker Spaniel, English Cocker Spaniel, English Springer Spaniel, Labrador Retriever, Sussex Spaniel, Cavalier King Charles Spaniel, Chinese Crested Dog, Griffons, Shih-Tzu, Standard Poodle, Borzoi, Irish Wolfhound

Prior to each judging appointment, it is the responsibility of the judge to familiarise himself/herself with these specific instructions for the breed he/she has been invited to judge.

A continuous follow-up of the development of the health of the breeds listed herein will be carried out, and also regular updates.

# **Application**

It is of utmost importance that each judge continues to judge positively and, as previously, selects winners of correct type and overall quality. The critique must be written in a positive form, but it is important to be precise and open about relevant health matters if this has affected the evaluation and/or placing of the dog.

As previously, the judge must evaluate what he sees and deviations must be judged on its degree of imperfection, and no faults are linked to a certain award. This list must not be seen as an added list of disqualifying faults in breeds whose standards contain disqualifications!

Exaggerations in conformation and faults which have an affect on the dog's health are more serious than cosmetic failings.

Judges should always give 0 prize to dogs with manifest abnormalities and defects.

Frequently existing faults, not linked with health concerns and exaggeration of breed points in individual breeds, have not been listed here routinely, but must also be noted when judging.

Judges are requested to consider health aspects to a higher degree than previously, particularly when awarding CK (certificate quality) or not.

# Requirements for all dogs

# **Breathing**

All dogs should be able to breathe normally, also when moving.

### Eyes

All dogs should have clear eyes without any sign of discomfort.

### Skin

All dogs should have healthy skin without any sign of discomfort.

### Coat

The coat should not be so extensive as to impede movement.

### Movement

All dogs should be able to move naturally without visible effort or pain.

# **Temperament**

All dogs should have good temperament suitable for life in present society. Breed specific behaviour must be noted and allowed, but excessive shyness or sharpness of temperament is not desirable. Aggressive dogs and dogs showing signs of panic and/or fear should always be awarded 0 prize.

# F.C.I Group I Sheepdogs and Cattle Dogs

Ardennes Cattle Dog Australian Cattle Dog Australian Kelpie Australian Shepherd

Australian Stumpy Tail Cattle Dog

Bearded Collie
Beauceron
Belgian Shepherd Dog/Groenendael
Belgian Shepherd Dog/Laekenois
Belgian Shepherd Dog/Malinois
Belgian Shepherd Dog/Tervueren
Bergamasco Shepherd Dog

Berger Picard
Border Collie

Catalan Sheepdog
Collie Rough \*

Briard

Collie Smooth \*

Croatian Sheepdog Czeslovakian Wolfdog

Dutch Shepherd Dog, long-haired Dutch Shepherd Dog, rough-haired Dutch Shepherd Dog, short-haired

Flanders Cattle Dog German Shepherd Dog \*

Komondor Kuvasz

Lancashire Heeler

Long-Haired Pyrenean Sheepdog Majorca Shepherd Dog

Maremma and Abruzzes Sheepdog

Old English Sheepdog (Bobtail) Polish Lowland Sheepdog Portuguese Sheepdog

Puli

Pumi

Pyrenean Sheepdog - smooth faced Romanian Carpathian Shepherd Dog Romanian Mioritic Shepherd Dog

Saarloos Wolfdog
Schapendoes
Schipperke
Shetland Sheepdog \*
Slovakian Chuvach

Slovakian Chuvach
South Russian Shepherd Dog
Tatra Shepherd Dog
Welsh Corgi Cardigan \*
Welsh Corgi Pembroke \*
White Swiss Shepherd Dog

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group I

This group contains several working breeds, for which the ability to move soundly is of particular importance. Sound movement should therefore be highly praised and evaluated with particular attention.

# **Breeds which require Attention**

# Collie, Rough-haired and Smooth-haired

# Existing faults in this breed are:

- incorrect bites caused by narrow under jaws resulting in inverted canine teeth going straight up into the roof of the gums.
- eye problems caused by excessively small eyes, very deeply set

Particular attention should therefore be paid to under jaws, bites, teeth and eyes.

# German Shepherd Dog (Deutscher Schäferhund)

## Existing faults in this breed are:

- narrow, incorrect front construction
- unstable, "wriggly", narrow hind movement.

Particular attention should therefore be paid to correct movement, not only when trotting, but also when pacing.

# **Shetland Sheepdog**

# Existing faults in this breed are:

• incorrect bites caused by incorrectly placed canine teeth

Particular attention should therefore be paid to bites and teeth.

# Welsh Corgi Cardigan

# Existing faults in this breed are:

- incorrect movement caused by excessively bent front legs
- too long in loin and incorrectly angulated hindquarters

Particular attention should therefore be paid to movement.

# Welsh Corgi Pembroke

# Existing faults in this breed are:

- excessive shortness of legs
- incorrect movement caused by excessively bent front legs
- too long in loin and incorrectly angulated hindquarters

Particular attention should therefore be paid to movement.

# F.C.I Group 2 Pinscher and Schnauzer - Molossoid

**Breeds - Swiss Mountain and Cattle Dogs** 

Affenpinscher
Alentejo Mastiff
Anatolian Shepherd Dog
Appenzell Cattle Dog
Atlas Mountain Dog - Aidi
Austrian Pinscher
Bernese Mountain Dog
Black Terrier

Bosnian -Herzegovinian -Croatian

Shepherd Dog Broholmer Bulldog \*\* Bullmastiff \*\*

Cao Fila de Sao Miguel Castro Laboreiro Dog

Caucasian Shepherd Dog Central Asia Shepherd Dog Danish-Swedish Farmdog

Dobermann Dogo Argentino

Dogo Argentino Dogo Canario Dogue De Bordeaux \*
Dutch Smoushond

Entlebuch Cattle Dog Fila Brasileiro German Boxer \*

German Pinscher

Giant Schnauzer, black Giant Schnauzer, pepper and salt

Great Dane \*

Great Swiss Mountain Dog Hovawart Italian Corso Dog

Karst Shepherd Dog Landseer (Continental-European type)

Leonberger
Majorca Mastiff
Mastiff \*
Miniature Pinscher
Miniature Schnauzer h

Miniature Schnauzer, black Miniature Schnauzer, black and silver Miniature Schnauzer, pepper and salt Miniature Schnauzer, white Neapolitan Mastiff ★

Newfoundland Pyrenean Mastiff Pyrenean Mountain Dog

Rottweiler

Saint Bernard Dog, long-haired \*
Saint Bernard Dog, short-haired \*

Schnauzer, black

Schnauzer, pepper and salt Serra da estrela Mountain Dog, long-

haired

Serra da estrela Mountain Dog, smooth-

haired Shar Pei \* Spanish Mastiff Tibetan Mastiff Tosa

Uruguayan Cimarron

Yugoslavian Shepherd Dog-Sharplanina

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group 2

This group contains several heavy breeds of Mollosoïd type, but also herding dogs from mountainous districts. It is of utmost importance that they are not overweight and that they have sound, strong constitution in order to function properly and to be able to move without visible effort or pain. Narrow fronts, bent front legs and weak pasterns or cow-hocked hind legs are incorrect for any breed.

Some of the Mollosoïd breeds have excessive, loose skin which must never be

exaggerated and allowed to cause discomfort to the dog. A dog's skin must be healthy without any sign of discomfort.

Heavy breathing, excessively heavy head carried low and dogs giving off large amounts of saliva when breathing are incorrect. This applies to both small and large breeds.

# **Breeds which require Urgent Attention**

## **Bulldog**

The extreme conformation of this breed with, for example, shortened muzzle and underdeveloped bridge of nose, causes serious health problems if exaggerated.

# Existing faults in this breed are:

- breathing difficulties which can be linked to narrow respiratory channels through pinched nostrils and/or insufficient room in throat cavities and ribcage.
- eye problems with inflammations/injuries as a result of excessively short bridge of muzzle, excessively loose skin and loose eye-rims.
- inflammation of the skin on the muzzle (heavy nose wrinkle) and around the tail.
- unsound movement/lameness as a result of over exaggerated conformation and insufficient angulation of fore- and hindquarters.

Particular attention must therefore be paid to the shape of the head/skull, width of the nostrils, breathing and eyes, skin and tail, but also to movement.

The breed standard very clearly emphasises unconstrained breathing and sound movement, and this must be given particular attention.

# Neapolitan Mastiff (Mastino Napoletano)

The conformation and skin of this breed cause serious health problems if exaggerated.

# Existing faults in this breed are:

- inflammation of the skin and eye problems caused by folds of loose skin which is also too excessive; also loose eye rims.
- incorrect movement caused by incorrect bone construction and poor overall conformation.

Particular attention must therefore be paid to healthy skin and sound eyes, but also to movement. Dogs with entropion or ectropion, skin problems and unsound movement must not be awarded prizes.

Dogs with the required typical cat-like, agile, somewhat slow movement with good drive from sound hindquarters and proper reach in front, should be rated very highly.

### Shar Pei

The extreme type and character of the skin of this breed cause serious health problems.

### Existing faults in this breed are:

- excessive amounts of /and loose skin, the texture (mucinos) of which can also lead to eye problems.
- frequently occurring eye- and ear problems.
- problems caused by lower lip folding over lower incisors

Particular attention must therefore be paid to healthy skin and sound eyes

N.B that the following are disqualifying faults in the breed standard:

"Skin, folds or hair disturbing the normal function of the eye": "lower lip rolled in, interfering with the bite"; "Heavy folds of skin on body (except withers and base of tail) and limbs".

Priority must be given to dogs with sound/clear eyes and healthy skin.

# **Breeds which require Increased Attention**

# **Dogue De Bordeaux**

# Existing faults in this breed are:

- eye problems due to loose eye rims.
- anatomical malformation, such as incorrect front with bent legs, very high at croup and insufficiently angulated hindquarters resulting in powerless and shuffling movement.

Particular attention must therefore be paid to sound eyes and functional, sound movement.

### Mastiff

# Existing faults in this breed are:

- excessively heavy dogs, overly heavy head carried low
- incorrect movement caused by anatomical faults such as too high at rear and very steep croups.

Particular attention must therefore be paid to strong, sound conformation able to support this breed's typical, massive head and its strongly made body and heavy bone. Movement must be sound.

# Saint Bernard Dog, Short-haired and Long-haired (St. Bernhardshund)

# Existing faults in this breed are:

• eye problems caused by loose eye rims.

- skin problems caused by excessive amounts of loose skin and loose lip folds.
- incorrect movement (rolling gait), caused by, for example, incorrect proportions with short legs and overly large ribcages.

Particular attention must therefore be paid to correct proportions for the breed with strong, powerful conformation, correct amount of loose skin and sound movement.

# **Breeds which require Attention**

# German Boxer (Deutscher Boxer)

# Existing faults in this breed are:

- breathing problems which could result from pinched nostrils and/or overly short muzzles and insufficient room in throat cavities.
- skin irritation.

Particular attention must therefore be paid to breathing and correct length of the muzzle, but also to sound skin. Unsound or discoloured skin must be paid attention to

### **Bullmastiff**

# Existing faults in this breed are:

- breathing problems which could result from pinched nostrils and/or overly short muzzles and insufficient room in throat cavities.
- eye problems caused by excessive amount of skin.
- incorrect movement caused by anatomical malformation such as too high at rear and very steep croups

Particular attention must therefore be paid to breathing, correct length of muzzle and that the eyes are not set in an excessive amount of loose skin on the head. Attention must be paid to sound movement.

# Great Dane (Deutsche Dogge)

# Existing faults in this breed are:

- eye problems caused by loose eye rims.
- incorrect movement caused by pasterns knuckling over and weak hindquarters.
- Toe pads which do not meet the ground.

Particular attention must be paid to ensure eyes with firm rims, correct fore- and hindquarters and correct shape of the feet.

# F.C.I Group 3 Terriers

Airedale Terrier
American Staffordshire Terrier
Australian Silky Terrier
Australian Terrier
Bedlington Terrier
Border Terrier
Brazilian Terrier
Bull Terrier, standard \*

Brazilian Terrier
Bull Terrier, standard \*
Cairn Terrier
Cesky Terrier
Dandie Dinmont Terrier
English Toy Terrier

Fox Terrier, smooth
Fox Terrier, wire
German Hunting Terrier
Irish Glen of Imaal Terrier
Irish Softcoated Wheaten Terrier
Irish Terrier
Jack Russell Terrier
Japanese Terrier
Kerry Blue Terrier
Lakeland Terrier

Manchester Terrier

Miniature Bull Terrier \*
Norfolk Terrier
Norwich Terrier \*
Parson Russell Terrier
Scottish Terrier
Sealyham Terrier
Skye Terrier \*
Staffordshire Bull Terrier \*

Staffordshire Bull Terrier \*
Welsh Terrier

West Highland White Terrier \*
Yorkshire Terrier \*

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group 3

This group contains a few breeds with skin problems, a few with problems with incorrect bites and a few with tendencies towards exaggerated breed type.

# **Breeds which require Increased Attention**

# **Bull Terrier Standard/Miniature Bull Terrier**

# Existing faults in both varieties are:

- incorrect bites caused by narrow under jaws and inverted canine teeth.
- skin irritation and sparse coat.

Particular attention must therefore be paid to under jaws, correct bites, but also to coat and skin.

The standard reads: "Teeth sound, clean, strong, of good size, regular with perfect, regular and complete scissor bite".

### Yorkshire Terrier

# Existing faults in this breed are:

- breathing problems caused by narrow respiratory channels.
- weakness of under- and upper jaws and also poor dentition: lameness of tongue not held properly in the mouth.

Particular attention must therefore be paid to breathing, normal development of the muzzle with wide, open nostrils, healthy teeth and correct jaws and tongue.

A lame tongue is an anomaly which disqualifies any dog in the show ring.

# **Breeds which require Attention**

### **Norwich Terrier**

# Existing faults in this breed are:

- breathing difficulties caused by tendencies towards incorrect dwarfism resulting in apple head, protruding eyes and a tendency to dish face.
- excessively short neck and extremely short body affecting movement negatively.
   Particular attention must therefore be paid to correct head type and body, but also to sound movement.

# Skye Terrier

# Existing faults in this breed are:

incorrect movement caused by bent front legs and loose elbows.

Particular attention must therefore be paid to sound limbs and movement, without any sign of lameness.

### Staffordshire Bull Terrier

# Existing faults in this breed are:

 incorrect bites caused by narrow under jaws and subsequently inverted canine teeth.

Particular attention must therefore be paid to bites and teeth.

# West Highland White Terrier

# Existing faults in this breed are:

• skin irritation and discoloured coat, sometimes caused by skin folds.

Particular attention must therefore be paid to skin and coat.

# F.C.I Group 4 Dachshunds

Dachshund miniature, smooth-haired Dachshund miniature, long-haired Dachshund miniature, wire-haired Dachshund rabbit, smooth-haired Dachshund rabbit, long-haired Dachshund rabbit, wire-haired Dachshund standard, smooth-haired Dachshund standard, long-haired Dachshund standard, wire-haired

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group 4

At the moment no breeds in Group 4 are listed in the BSI.

# F.C.I Group 5 Spitz and Primitive types

Akita Ibizan Warren Hound - Ibizan Podenco. Portuguese Warren Hound - Portuguese Alaskan Malamute smooth-haired Podengo, smooth-haired/medium-sized American Akita Icelandic Sheepdog Portuguese Warren Hound - Portuguese Basenji Japanese Spitz Podengo, smooth-haired/miniature Canaan Dog Kai Portuguese Warren Hound - Portuguese Canarian Warren Hound Karelian Bear Dog Podengo, wire-haired/large Chow Chow \* Kishu Portuguese Warren Hound - Portuguese Cirneco dell'Etna Korea Jindo Dog Podengo, wire-haired/medium-sized Fast Siberian Laïka Mexican Hairless Dog, intermediate Portuguese Warren Hound - Portuguese Eurasian Mexican Hairless Dog, miniature Podengo, wire-haired/miniature Finnish Lapphund Mexican Hairless Dog, standard Russian-European Laïka Finnish Reindeer Herder Samoyed Norrbottenspitz Finnish Spitz Norwegian Buhund Shiba Shikoku German Spitz/Keeshond Norwegian Elkhound, black German Spitz/Giant Spitz Norwegian Elkhound, grey Siberian Husky German Spitz/Medium size Spitz Norwegian Lundehund Svensk vit älghund German Spitz/Miniature Spitz Peruvian Hairless Dog, large Swedish Elkhound German Spitz/Pomeranian \* Peruvian Hairless Dog, medium-sized Swedish Lapphund Swedish Vallhund Greenland Dog Peruvian Hairless Dog, miniature Hälleforshund Pharaoh Hound Taiwan Dog Hokkaïdo Portuguese Warren Hound - Portuguese Thai ridgeback dog

Podengo, smooth-haired/large

Volpino Italiano

West Siberian Laïka

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention

Ibizan Warren Hound - Ibizan Podenco.

- Attention

rough-haired

# **Breeds which require Urgent Attention**

### **Chow Chow**

Problems are caused by an excessive amount of skin and the formation of the hindquarters.

## Existing faults in this breed are:

- breathing difficulties caused by insufficiently wide respiratory channels and throat producing snoring and laboured breathing, often with mouth constantly open.
- eye problems as a result of eyes set in excessive amount of skin.
- incorrect movement which may be the result of inadequately angulated stifles and hock joints.

Particular attention must therefore be paid to breathing, eyes and skin, but also to movement

The current breed standard reads: "short and stilted movement". This requires minimal angulation of the stifles; this must not be exaggerated so as to impair movement.

Stifles and hocks that knuckle over are anatomically incorrect.

Unconstrained breathing, sound eyes not showing any sign of irritation and typical movement are all important points.

# **Breeds which require Attention**

# German Spitz/Pomeranian (Deutscher Spitz/Zwergspitz)

# Existing faults in this breed are:

- incorrect bites caused by poorly developed muzzles and incorrectly placed canine teeth
- neurological faults which can be linked to injuries caused by open fontanels.

Particular attention must therefore be paid to correct, well developed muzzles, jaws and teeth. It is important to check for closed fontanels.

# F.C.I Group 6 **Scenthounds and Related Breeds**

Alpine Dachsbracke American Foxhound

Anglo-français de Petite Vénerie

Ariégeois

Artesian-Norman Basset \*

Artois Hound

Austrian Black and Tan Hound

Basset Hound \*

Bayarian Mountain Scenthound

Beagle Beagle-Harrier Billy

Black and Tan Coonhound

Bloodhound \* Blue Gascony Basset Blue Gascony Griffon

Bosnian Coarse-haired Hound - called

Rarak Dalmatian Drever

**English Foxhound** Estonian Hound Fawn Brittany Basset Fawn Brittany Griffon Finnish Hound

French Tricolour Hound French White and Black Hound

French White and Orange Hound

Gascon Saintongeois German Hound

Grand Basset Griffon Vendeen

**Grand Griffon Vendeen** 

Great Anglo-French Tricolour Hound Great Anglo-French White and Black

Great Anglo-French White and Orange

Hound

**Great Gascony Hound Griffon Nivernais** Halden Hound Hamilton Hound Hanoverian Scenthound

Harrier Hellenic Hound Hygen Hound

Istrian Short-haired Hound Italian Hound, coarse-haired Italian Hound, short-haired Medium Griffon Vendeen Montenegrin Mountain Hound Norwegian Hound

Istrian Coarse-haired Hound

Otterhound Petit Basset Griffon Vendeen

Poitevin

Polish Hound Polish Hunting Dog

Porcelain Posavaz Hound Rhodesian Ridgeback

Russkaja Gontjaja Russkaja pegaja gontjaja

Schiller Hound Serbian Hound Serbian Tricolour Hound Slovakian Hound

Småland Hound

Small Blue Gascony Hound Small Swiss Hound/Bernese Hound Small Swiss Hound/Jura Hound Small Swiss Hound/Lucerne Hound Small Swiss Hound/Schwyz Hound

Spanish Hound

Styrian Coarse-haired Hound Swiss Hound/Bernese Hound Swiss Hound/Iura Hound Swiss Hound/Lucerne Hound Swiss Hound/Schwyz Hound Transylvanian Hound Tyrolean Hound Westphalian Dachsbracke

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group 6

This group currently contains three breeds which require close scrutiny due to exaggerations in type, and with excessive amount of loose skin

It is very important to examine all Basset breeds carefully for incorrectly formed ribcages with deformed ribs with or without incorrect, shortened sternum. Attention should also be given to toe pads which do not meet the ground properly.

# **Breeds which require Urgent Attention**

### **Basset Hound**

Exaggerations of this breed's chondrodystrophic conformation and substance can lead to serious health problems.

## Existing faults in this breed are:

- skin folds and inflammation of the eyes caused by excessive skin and loose eye rims
- frequently recurrent inflammation of the ears which can be linked to overly heavy/long ear leathers.
- incorrect movement caused by inadequate ground clearance as a result of excessive shortness of legs.

Particular attention must therefore be paid to eyes, ears, skin and movement. Sound eyes, ears and skin as well as free movement are very important.

# **Breeds which require Increased Attention**

# **Bloodhound** (Chien de Saint-Hubert)

# Existing faults in this breed are:

- eye problems caused by loose eye rims.
- skin problems caused by excessive, loose skin.

Particular attention must therefore be paid to eyes and skin.

The breed standard reads about exaggerations "...eyes which are too deep set or too small: distended eyelids; too much and too loose skin with too many and too deep folds; too much dewlap...".

# **Breeds which require Attention**

# Artesian-Norman Basset (Basset Artésien Normand)

# Existing faults in this breed are:

• poorly developed ribcages.

• incorrect movement due to excessively bent legs and toe pads which do not meet the ground.

Particular attention must therefore be paid to the formation of the ribcage, correctly formed legs and toe pads.

The breed standard reads under disqualifying faults:" Rear end of sternum too short with absence of xiphoid process. Ribs very much deformed".

# F.C.I Group 7 Pointing Dogs

Ariege Pointing Dog
Auvergne Pointing Dog
Blue Picardy Spaniel
Bohemian Wire-haired Pointing Griffon
Bourbonnais Pointing Dog
Brittany
Burgos Pointing Dog
Drentse Partridge Dog
English Pointer
English Setter
French Pointing Dog - Gascogne type
French Pointing Dog - Pyrenean type
French Spaniel

French Wire-haired Korthals Pointing
Griffon
Frisian Pointing Dog
German Long-haired Pointing Dog
German Rough-haired Pointing Dog
German Short-haired Pointing Dog
German Wire-haired Pointing Dog
Gordon Setter
Hungarian Short-haired Pointing Dog
Hungarian Wire-haired Pointing Dog
Irish Red and White Setter
Irish Red Setter
Italian Pointing Dog \*\*

Italian Wire-haired Pointing Dog \*\*
Large Münsterlander
Old Danish Pointing Dog
Picardy Spaniel
Portuguese Pointing Dog
Pudelpointer
Slovakian Wire-haired Pointing Dog
Small Münsterlander
Spaniel de Pont-Audemer
St. Germain Pointing Dog
Weimaraner, long-haired
Weimaraner, short-haired

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group 7

This group contains gundogs which must not show extreme tendencies such as excessive substance, overly lymphatic conformation, excessive coat or ribcages that are too deep or too flat.

# **Breeds which require Attention**

# Italian Pointing Dog (Bracco Italiano)

# Existing faults in this breed are:

• eye problems caused by excessive loose skin and loose eye rims.

Particular attention must therefore be paid to skin and eyes.

# Italian Wire-haired Pointing Dog (Spinone Italiano)

# Existing faults in this breed are:

• eye problems caused by excessive loose skin and loose eye rims. Particular attention must therefore be paid to skin and eyes.

# F.C.I Group 8 Retrievers - Flushing Dogs - Water Dogs

American Cocker Spaniel \*
American Water Spaniel
Cheasapeake Bay Retriever
Clumber Spaniel \*
Curly Coated Retriever
English Cocker Spaniel \*
English Springer Spaniel \*
Field Spaniel

Flat Coated Retriever
French Water Dog
Frisian Water Dog
German Spaniel
Golden Retriever
Irish Water Spaniel
Labrador Retriever \*\*

Portuguese Water Dog
Romagna Water Dog
Small Dutch Waterfowl Dog
Spanish Waterdog
Sussex Spaniel \*
Welsh Springer Spaniel

Nova Scotia Duck Tolling Retriever

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# About the breeds in F.C.I Group 8

This group contains gundogs and endurance and sound movement are therefore particularly important. It is important to be able to distinguish between substance and obesity.

Several of the breeds in this group suffer from problems with eyes and ears due to excessive skin, but this can also be caused by large, heavily coated outer ears.

# Breeds which require Increased Attention

# **Clumber Spaniel**

# Existing faults in this breed are:

- eye problems caused by excessive amount of loose skin producing loose eye rims and irritation of the eyes.
- incorrect movement caused by heavy, deep bodies and insufficient angulation.

Particular attention must therefore be paid to eyes and movement.

Excessive amount of loose skin and heavy, inefficient movement are highly undesirable.

Healthy skin and overall agility are particularly desirable

# **Breeds which require Attention**

# **American Cocker Spaniel**

## Existing faults in this breed are:

- eye problems caused by shallow eye sockets set in excessively short, rounded skulls; also loose eye rims.
- incorrect bites caused by overly short muzzles

Particular attention must therefore be paid to correct head proportions, but also to correct eyes and eye rims.

American Cocker Spaniels with poorly developed ribcages sometimes occur and this is a major fault.

# **English Cocker Spaniel**

## Existing faults in this breed are:

- eye problems caused by excessive, loose and thick skin; loose eye rims.
- low set ears which can cause inflammation of the ears on dogs with thickened skin and heavy, woolly coat. The skin of the ear leather should be fine.

Particular attention must therefore be paid to skin, eyes, ears and correct texture of coat.

The breed standard reads: "The coat should be flat, silky in texture and not too profuse".

# **English Springer Spaniel**

# Existing faults in this breed are:

• eye problems caused by excessive, loose and thick skin; loose eye rims.

Particular attention must therefore be paid to skin and eyes.

### Labrador Retriever

# Existing faults in this breed are:

- obesity/overweight.
- · lameness and incorrect movement.

Particular attention must therefore be paid to correct movement. Obesity/over-weight must not be confused with substance.

# **Sussex Spaniel**

# Existing faults in this breed are:

• eye problems caused by excessive, loose and thick skin; loose eye rims. Particular attention must therefore be paid to skin and eyes.

# F.C.I Group 9 Companion and Toy Dogs

Belgian Griffon \* Havanese Bichon Frise Japanese Chin \* Bolognese King Charles Spaniel \* Boston Terrier \* Kromfohrländer Brussels Griffon \* Lhasa Apso Cavalier King Charles Spaniel \* Little Lion Dog Chihuahua, long-haired \* Maltese Medium size Poodle Chihuahua, smooth-haired \* Miniature Poodle Chinese Crested Dog \* Coton de Tuléar **Papillon** 

Phalène
Prazský krysarík
Pug \*
Russian Toy, longhaired
Russian Toy, smooth-haired
Shih Tzu \*
Small Brabant Griffon \*
Standard Poodle \*
Tibetan Spaniel
Tibetan Terrier

Toy Poodle

Breeds marked with an \* are listed in the BSI.

Pekingese \*

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

French Bulldog \*

# About the breeds in F.C.I Group 9

Several breeds in this group have extreme conformation with shortened skull and underdeveloped muzzle. Further exaggeration of these points would give rise to serious health problems.

Brachycephalic head type is part of correct breed type in breeds such as Boston Terriers, French Bulldogs, the Griffon breeds, Japanese Chin, King Charles Spaniels, Pugs, Pekingese and Shih-Tzus. This can lead to problems if exaggerated causing, for instance, overly large, protruding eyes in shallow eye sockets, which in turn may cause prolapse of the eyes. Such eyes are also very vulnerable to injuries of the cornea if surrounded by excessive skin or coat.

Narrow respiratory channels with restrained breathing and pinched nostrils are serious problems which must be noted.

The majority of these breeds should have well-developed, long ribcages with well sprung ribs extending far back giving good protection to heart and lungs and ample support to the diaphragm. Unsound deviations are short, open (ribs too short)

ribcages with short sternum, but also ribs pointing inwards and narrow ribcages - all serious faults. Some of the breeds in this group are also heavily coated which in some cases has resulted in incorrect, woolly and excessive coats, so heavy that they impair movement.

Effortless movement without drive can be seen in some of the breeds as a possible effect of poor muscular condition.

# **Breeds which require Urgent Attention**

# French Bulldogg (Bouledogue francais)

The extreme conformation of this breed with shortened skull and underdeveloped bridge of nose, cause serious health problems if exaggerated further.

# Existing faults in this breed are:

- breathing problems which can be linked with narrow respiratory channels with pinched nostrils and/or insufficient room in throat cavities and/or ribcage.
- inflammation of the eyes/eye injuries caused by overly large eyes and loose eye rims.
- effortless movement without drive caused by too short a neck and back and insufficient angulation of hind- and forequarters.

Particular attention must therefore be paid to breathing, eyes, skin and movement.

The breed standard calls for an "active" dog which is "compact and well proportioned", but which must not be excessively short in neck and back.

Wry under jaw and/or lame tongue, so called tongue fault, and complete lack of tail vertebrae are always disqualifying faults.

# **Pekingese**

The extreme conformation of this breed with shortened skull and underdeveloped bridge of nose, cause serious health problems if exaggerated further.

# Existing faults in this breed are:

- breathing problems caused by narrow respiratory channels, pinched nostrils, insufficient room in throat cavities and/or ribcage.
- excessively heavy nose wrinkle causing skin infections and eye problems.
- skin problems caused by very heavy coat of incorrect, woolly texture.
- effortless movement caused by looseness of shoulders, weak hindquarters and poor muscle tone.

Particular attention must therefore be paid to breathing, eyes, skin and movement.

The current breed standard reads: "All signs of breathing difficulties under normal conditions are unacceptable and must be severely penalised". The length and extent of the coat must not disguise the shape of the body".

Dogs with unaffected breathing, typical movement without visible effort and with correct coats should be highly valued in the show-ring.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults

# **Breeds which require Increased Attention**

### **Bostonterrier**

# Existing faults in this breed are:

• breathing problems which can be linked to narrow respiratory channels, pinched nostrils, insufficient room in throat cavities and/or ribcage.

Particular attention must therefore be paid to sound breathing and the formation of the head/skull.

# Chihuahua, Smooth-haired and Long-haired (Chihuaheño)

# Existing faults in this breed are:

- overly large and open fontanel.
- problems with bites and jaws.

Particular attention must therefore be paid to the formation of the skull and the jaws.

The breed standard reads: "closed fontanel is preferred even if a slight opening is allowed". A large fontanel is a disqualifying fault.

# Japanese Chin

# Existing faults in this breed are:

- breathing problems caused by pinched nostrils, too small and narrow skull, but also too short a ribcage.
- eye problems caused by large eyes in shallow eye sockets.

Particular attention must therefore be paid to sound breathing, eyes, and the formation of the head/skull and the ribcage.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults.

# **King Charles Spaniel**

# Existing faults in this breed are:

- eye problems caused by large eyes in shallow eye sockets.
- incorrect movement caused by poorly developed ribcages and bent front legs

Particular attention must therefore be paid to the formation of the skull and the eyes, but also to sound movement.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults

### Pug

## Existing faults in this breed are:

- breathing problems which may be caused by narrow respiratory channels, pinched nostrils and/or insufficient room in throat cavities and/or ribcage.
- skin- and eye problems with inflammations/injuries caused by short bridge of nose and/or excessive loose skin causing friction to the eyes and the function of the nose. Other causes of eye injury are incorrect, harsh (not lying close to skin) coat on nose wrinkle causing irritation of the cornea.

Particular attention must therefore be paid to breathing, sound skin and eyes.

The breed standard does not call for a nose wrinkle, neither unbroken nor broken.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults

# **Breeds which require Attention**

# Cavalier King Charles Spaniel

# Existing faults in this breed are:

- breathing problems with snoring sound.
- skin folds showing sign of irritation and loose eye rims.
- eye injuries caused by shallow eye sockets.

Particular attention must therefore be paid to soundness of breathing, skin and eyes.

# **Chinese Crested Dog**

# Existing faults in this breed are:

 skin injuries caused by unhealthy and ethically unacceptable shaving of the skin in order to disguise lack of correct hairlessness. • incorrect bites with wry under jaws

Particular attention must therefore be paid to skin and correct formation of the jaws.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults

# **Belgian Griffon, Brussels Griffon and Small Brabant Griffon** (Griffon Belge, Griffon Bruxellois and Petit Brabançon)

## Existing faults in this breed are:

- breathing problems caused by pinched nostrils and/or insufficient room in throat cavities and/or ribcage.
- eye injuries caused by overly large, protruding eyes.

Particular attention must therefore be paid to breathing and sound eyes and jaws.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults.

### Shih-Tzu

# Existing faults in this breed are:

- breathing problems caused by too short a muzzle and pinched nostrils.
- eye injuries caused by overly large, protruding eyes.

Particular attention must therefore be paid to breathing, head proportions, eyes and jaws.

Wry under jaw and/or lame tongue, so called tongue fault, are always disqualifying faults.

# **Standard Poodle** (Grand Caniche)

# Existing faults in this breed are:

- incorrect bites caused by too narrow a skull and muzzle with weak under jaws and subsequently incorrectly placed canine teeth.
- eye problems caused by eyes that are too small and deeply set.

Particular attention must therefore be paid to head proportions and eyes

# F.C.I Group 10 Sighthounds

Afghan Hound Arabian Greyhound Azawakh Deerhound

Greyhound

Hungarian Greyhound Irish Wolfhound \* Italian Greyhound Polish Greyhound

Russian Hunting Sighthound \*
Saluki
Spanish Greyhound
Whippet

Breeds marked with an \* are listed in the BSI.

BSI is divided into three levels:

- Urgent attention
- Increased attention
- Attention

# **Breeds which require Attention**

# Russian Hunting Sighthound (Russkaya Psovaya Borzaya - Borzoi)

# Existing faults in this breed are:

 incorrect bites caused by poorly developed under jaws with inadequate space for teeth.

Particular attention must therefore be paid to bites and jaws.

The breed standard reads: "incorrect placement of the canine teeth, one or both, in the under jaw so that the gums or the roof of the gums may be injured when mouth is closed, is a disqualifying fault".

### Irish Wolfhound

# Existing faults in this breed are:

• incorrect bites caused by narrow under jaws with inverted canine teeth going straight up into the roof of the gum.

Particular attention must therefore be paid to bites and jaws.

# Svenska Kennelklubben SE-163 85 Spånga, Sweden

Visiting address Rinkebysvängen 70
Telephone +46-8-795 30 00 Fax +46-8-795 30 40
Website www.skk.se

Telephone Information department +46-8-795 30 30 E-mail Information department info@skk.se

